

THREE CARDBOARD BOX SIZES

510 X 510 X 250 mm
510 X 255 X 250 mm (standard boxes)
255 X 255 X 250 mm

OUR CARDBOARD BOXES ARE RECYCLABLE




www.anchorsforrefractory.com
contact@anchorsforrefractory.com

Tél : + 33 3 66 50 00 33 / +33 7 85 06 29 49
PA Vallée de l'Escaut - rue de la crête - 59264 ONNAING-France

These informations are general informative indications. Many particular conditions of use and exceptions exist in industrial applications, many parameters can influence the technical choices. The informations mentioned in this technical data sheet, in particular regarding the features and the performances of the products, is provided for guidance purposes only and is liable to change depending of the conditions of use and environment. Information mentioned can be modified without notice. The company ANCHORS will in no circumstances be held liable for the consequences of any improper use. If you want some suggestions from us, applicable for your specific application and/or environment, please contact us.

USUAL PACKING FOR EUROPE



TWO PACKING LISTS PER PALLET

TWO PALLET DIMENSIONS

1100 X 1100 mm
800 X 540 mm

OUR CARDBOARD BOXES ARE RECYCLABLE



OUR PALLET ARE ISPM15 TREATED




www.anchorsforrefractory.com
contact@anchorsforrefractory.com

Tél : + 33 3 66 50 00 33 / +33 7 85 06 29 49
PA Vallée de l'Escaut - rue de la crête - 59264 ONNAING-France

These informations are general informative indications. Many particular conditions of use and exceptions exist in industrial applications, many parameters can influence the technical choices. The informations mentioned in this technical data sheet, in particular regarding the features and the performances of the products, is provided for guidance purposes only and is liable to change depending of the conditions of use and environment. Information mentioned can be modified without notice. The company ANCHORS will in no circumstances be held liable for the consequences of any improper use. If you want some suggestions from us, applicable for your specific application and/or environment, please contact us.

USUAL PACKING FOR EXPORT OUT OF EUROPE, BY CONTAINER OR TRUCK



THREE EXPORT CASE TYPES

- 1100 X 1100 X 2010 mm - (56 STANDARD BOXES)
- 1100 X 1100 X 1240 mm - (32 STANDARD BOXES)
- 1100 X 1100 X 730 mm - (16 STANDARD BOXES)

TWO PACKING LISTS PER CASE

OUR CARDBOARD BOXES ARE RECYCLABLE




OUR CASES ARE ISPM15 TREATED



www.anchorsforrefractory.com
contact@anchorsforrefractory.com

Tél : + 33 3 66 50 00 33 / +33 7 85 06 29 49
 PA Vallée de l'Escaut - rue de la crête - 59264 ONNAING-France

These informations are general informative indications. Many particular conditions of use and exceptions exist in industrial applications, many parameters can influence the technical choices. The informations mentioned in this technical data sheet, in particular regarding the features and the performances of the products, is provided for guidance purposes only and is liable to change depending of the conditions of use and environment. Information mentioned can be modified without notice. The company ANCHORS will in no circumstances be held liable for the consequences of any improper use. If you want some suggestions from us, applicable for your specific application and/or environment, please contact us.



THREE HEAVY WOODEN CASE DIMENSIONS

1120 X 1120 X 2010 mm - (56 STANDARD CARDBOARD BOXES)

1120 X 1120 X 1240 mm - (32 STANDARD CARDBOARD BOXES)

1120 X 1120 X 730 mm - (16 STANDARD CARDBOARD BOXES)

TWO PACKING LISTS PER CASE

OUR CARDBOARD BOXES ARE RECYCLABLE



OUR CASES ARE ISPM15 TREATED



www.anchorsforrefractory.com
contact@anchorsforrefractory.com

Tél : + 33 3 66 50 00 33 / +33 7 85 06 29 49
PA Vallée de l'Escaut - rue de la crête - 59264 ONNAING-France

These informations are general informative indications. Many particular conditions of use and exceptions exist in industrial applications, many parameters can influence the technical choices. The informations mentioned in this technical data sheet, in particular regarding the features and the performances of the products, is provided for guidance purposes only and is liable to change depending of the conditions of use and environment. Information mentioned can be modified without notice. The company ANCHORS will in no circumstances be held liable for the consequences of any improper use. If you want some suggestions from us, applicable for your specific application and/or environment, please contact us.




TWO EXPORT CASE TYPES

ANCHORS IN BULK

1100 X 1100 X 1240 mm

1100 X 1100 X 730 mm



TWO PACKING LISTS PER CASE

OUR CASES ARE ISPM15 TREATED



www.anchorsforrefractory.com
contact@anchorsforrefractory.com

Tél : + 33 3 66 50 00 33 / +33 7 85 06 29 49
 PA Vallée de l'Escaut - rue de la crête - 59264 ONNAING-France

These informations are general informative indications. Many particular conditions of use and exceptions exist in industrial applications, many parameters can influence the technical choices. The informations mentioned in this technical data sheet, in particular regarding the features and the performances of the products, is provided for guidance purposes only and is liable to change depending of the conditions of use and environment. Information mentioned can be modified without notice. The company ANCHORS will in no circumstances be held liable for the consequences of any improper use. If you want some suggestions from us, applicable for your specific application and/or environment, please contact us.

Date	Affaire								
04/03/2020	3966								
<div>CUSTOMER</div> <div>PO N°</div>									
<div>ANCHORS</div> <div>PACKING LIST</div>									
Total /Pcs	DESIGNATION	LOT /ITEM QUALITY	QTY /BOX	QTY /Pcs	WEIGHT /BOX	TOTAL BOX	TOTAL KGS	PICTURE	
1470	TWS.10(80)-185(100)-45-253MA-C CAPPED	LOT 497 42 253 MA	21	70	22	21	462		
140	TWS.8(60)-200(150)-40-310	LOT 679 AISI 310	4	35	15	4	60		
120	KG FIBRES METALLIQUES CD 30/40 - AISI 304 CARTON DE 20 kg	310	6	20	20	6	120		
2400	WB 6- R12/25 - 310	LOT 676 310	4	600	18	4	72		
600	V4.6(60)-040-310 C IN WB 8-R12/25-310	LOT 676 AISI 310	3	200	15	3	45		
500	FERRULE FER-126-000 FOR TWIN PIN DIA. 6		1	500	10	1	10		
200	WASHER M 24 CS DIN 125	ADX	1	200	8	1	8		
200	CTH.12-260(80)-40-253 MA	253	1	200	26	1	26		
400	CAPS IN BULK 12 MM		1	400	4	1	4		
900	YS.8(90)-125/115(65-30)-50-310 - C CAPPED	LOT 679 AISI 310	15	60	24	15	360		
50	TWS.10(60)-170(80)-45-304 C CAPPED	LOT 689 304	1	50	16	1	16		
1000	DRS CT 8-140-304 FILETAGE SUR 30 MM	304	4	250	13	4	52		
		Total BOX : 56		Total weight : 1235 Kgs		Gross weight : Pallet/Case : 1293 Kgs		PACKING TYPE C	
Page 1/1		wooden case 1100x1100x2010 mm		Pallet/case N° : 1 / 1		ANCHORS FOR REFRACTORY			

Photo of the anchor in the cardboard box

Customer order number

Description of the anchor

Option

Number of pieces per cardboard box

Item

photo non contractuel

ORDER:

PO N°

DESCRIPTION:

TWS.10(60)-185(100)-45-253MA-C

CAPPED

Gross weight
Per cardboard box

Qty - Pcs	Weight - Kgs	Quality	Heat Number
70	22	253 MA	LOT 497
ITEM		INTERNAL NUMBER	
42		3966	

Heat Number

Our order number

Alloy with color coding



www.anchorsforrefractory.com
contact@anchorsforrefractory.com

Tél : + 33 3 66 50 00 33 / +33 7 85 06 29 49
PA Vallée de l'Escaut - rue de la crête - 59264 ONNAING-France

These informations are general informative indications. Many particular conditions of use and exceptions exist in industrial applications, many parameters can influence the technical choices. The informations mentioned in this technical data sheet, in particular regarding the features and the performances of the products, is provided for guidance purposes only and is liable to change depending of the conditions of use and environment. Information mentioned can be modified without notice. The company ANCHORS will in no circumstances be held liable for the consequences of any improper use. If you want some suggestions from us, applicable for your specific application and/or environment, please contact us.