




## ANC 305 - 60

TYPE

% AL2O3



Options :



Our recommendations :

- Higher alumina content on request



France – phone : + 33 3 66 55 00 30  
 anchorscontact@gmail.com  
 www.anchorsforrefractory.com

B4-01  
 06-2015

This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification




**B-BRICK ANCHOR**



## ANC 356 - 60

TYPE

% AL2O3



Options :



Our recommendations :

- Higher alumina content on request



France – phone : + 33 3 66 55 00 30  
 anchorscontact@gmail.com  
 www.anchorsforrefractory.com

B4-02  
 06-2015


This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification





**B-BRICK ANCHOR**

# ANC 406 - 60

TYPE                      % AL2O3



Options :



Our recommendations :

- Higher alumina content on request



France – phone : + 33 3 66 55 00 30  
 anchorscontact@gmail.com  
 www.anchorsforrefractory.com

B4-03  
 06-2015

This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification

